

PROFESSIONAL
PERFORMANCE
EVERYDAY

SPORTS ZONE[®]



BETCO[®]

AMERICHEM
YOUR PARTNER IN CLEAN

(800) 262-4360 | www.americhem.net

Basic Coatings®, Experts in Sports Floors.



Betco® Sports Zone® is powered by Basic Coatings®. Basic Coatings has a legacy of protecting and maintaining wood and synthetic sports floors. Our breadth and depth of line accommodate all present and future sport finish and cleaner needs.

The Basic Coatings Advantage

- Performance** – Basic Coatings products provide top performance at every level with best-in-class durability and the fastest cure times on the market—“Coat Today, Play Tomorrow”—from StreetShoe® NXT which is 90% cured in 24 hours, to GymShoe® which offers tremendous shine and more scuff/heel resistance than competitive products. Basic Coatings’ products outperform the competition in every way.
- Programs** – With three easy ways to protect sports floors, Basic Coatings is perfect for any time frame or budget. The TyKote® System provides a dust-free coating solution that is fast, for labor savings and limited down time, as well as easy-to-use products and procedures.
- Professional’s Choice** – Basic Coatings proven products and programs are the choice of professionals today. If you watch college or professional basketball, you have definitely seen champions play on our finishes.

ICON LEGEND



Bucket Fill Application



Wood Floor Application

Water-Based Sports Floor Finishes At-A-Glance



FRANCHISE PLAYER

- Best-in-class performance
- Coat today, play tomorrow
- Perfect for high-profile or high-traffic sports facilities



STAR PLAYER

- Excellent durability—sport floors stay glossy longer
- Enhanced traction
- High schools or high-use floors



ROLE PLAYER

- Amber and clear options
- Elementary/middle schools
- Budget conscious

Sports Zone® Water-Based Wood Coatings

Product/Item #	Benefits/Features	Dilution/Coverage	Size/Case	
STREETSHOE® NXT Premium, Two-Component Water-Based Sports Floor Finish B1664-4312/B1664-0512 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Clear, non-yellowing urethane • 24 hour pot life (once catalyst is mixed in) • Fastest curing: 90% in 24 hrs • Hardest, most durable, chemical resistant, UV inhibitor 	450-550 sq. ft. per gallon	4 - 1 gal. (3.78 L)/cs. 5 gal. (18.9 L)/Pail	
GYMSHOE® Advanced, Two-Component Water-Based Sports Floor Finish B1677-4312/B1677-0512 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Clear, non-yellowing urethane • 24 hour pot life (once catalyst is mixed in) • 7 day cure • Great shine, resists heel marks 	450-550 sq. ft. per gallon	4 - 1 gal. (3.78 L)/cs. 5 gal. (18.9 L)/Pail	
EMULSION PRO™ Advanced, One-Component, Oil and Water Sports Floor Finish B0675-4312/B0675-0512 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Ambering urethane • Fast drying (2 - 3 hrs); less downtime • VOC compliant; less than 275 VOC's per gallon • Can be catalyzed for improved performance 	450-550 sq. ft. per gallon	4 - 1 gal. (3.78 L)/cs. 5 gal. (18.9 L)/Pail	
PLAYER'S CHOICE ONE High-end, One-Component Water-Based Sports Floor Finish B1659-4312/B1659-0512 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Clear, non-yellowing urethane • 12 month shelf/pot life • 7 day cure • Best in class hardness and abrasion resistance 	450-550 sq. ft. per gallon	4 - 1 gal. (3.78 L)/cs. 5 gal. (18.9 L)/Pail	

Specialty Coatings/Wood Coating Maintainers

Product/Item #	Benefits/Features	Dilution/Coverage	Size/Case	
TYKOTE® Wood Floor Bonding Agent B0691-4312	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Low odor. • Bonds existing coating to the new water-based top coat. • Easy application. • Dries in 1 hour. 	2,500-4,000 sq. ft. per gallon	4 - 1 gal. (3.78 L)/cs.	
SQUEAKY™ Maintenance Cleaner for Wood Floors B0695-0412/B0695-0512	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Cleans and removes abrasive soils. • Fast drying. • Leaves no residue. • Restores traction for sports floors. • Versatile—use for daily and periodic maintenance. 	Concentrate 1:4	4 - 1 gal. (3.78 L)/cs. 5 gal. (18.9 L)/Pail	
GAME TIME CLEANER Maintenance Cleaner for Wood Floors B0697-4712	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Cleans and removes abrasive soils. • Fast drying. • Leaves no residue. • Restores traction for sports floors. • For use with Betco's FastDraw® Chemical Management dispenser 	Concentrate 1:64	4 - 2 L/cs. (FastDraw®)	
I.F.T. Aggressive Sports Floor Cleaner B1111-0412/B1111-0512	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Deep, intensive cleaning. • Effectively removes scuffs and black marks. • Deep cleaning prep for coating sports floors. 	Concentrate 1:32	4 - 1 gal. (3.78 L)/cs. 5 gal. (18.9 L)/Pail.	

Sports Zone® Oil-Modified Wood Coatings

Product/Item #	Benefits/Features	Dilution/Coverage	Size/Case	
PLAYER'S CHOICE™ OMU 350 Oil-Based Wood Sport Finish B0698-0512	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Easy to apply; excellent flow and leveling. • Excellent mar and scuff resistance. • 350 VOC. 	400-600 sq. ft. per gallon	5 gal. (18.9 L)/Metal Pail	
PLAYER'S CHOICE™ OMU 450 Oil-Based Wood Sport Finish B0699-0512	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Easy to apply; excellent flow and leveling. • Excellent mar and scuff resistance. • 450 VOC. 	400-800 sq. ft. per gallon	5 gal. (18.9 L)/Metal Pail	
PLAYER'S CHOICE™ OMU 550 Oil-Based Wood Sport Finish B0693-0512	For use on sport and commercial wood floors. <ul style="list-style-type: none"> • Easy to apply; excellent flow and leveling. • Excellent mar and scuff resistance. • 550 VOC. 	450-800 sq. ft. per gallon	5 gal. (18.9 L)/Metal Pail	

If your synthetic floor has been previously coated with an acrylic finish, we recommend the following Betco products for coating and removal of acrylic finishes on synthetic sports floors.

Removable Finish & Strippers For Synthetic Floors

Product/Item #	Benefits/Features	Dilution/Coverage	Size/Case	
RECOVER Designed for Multiple Surfaces 168404-00	Safe for all types of flooring <ul style="list-style-type: none"> • Safely removes multiple layers of finish • Low Odor • Safe pH formula 	Concentrate 1:10, 1:5	4 - 1 gal. (3.78 L)/cs.	
RESCUE/RESCUE TRUMATTE® Designed for Multiple Surfaces 168104-00/168105-00/168204-00	Use on all types of floors <ul style="list-style-type: none"> • Best in class adhesion • Durable formula • Available in Gloss and TruMatte 	Up to 3,000 sq. ft. per gallon	4 - 1 gal. (3.78 L)/cs. 5 gal. (18.9 L)/Pail	



Choose from Three Simple-To-Use Sports Zone® Systems

SPORTS ZONE SELECTION GUIDE

	Game Plan One TYKOTE® SYSTEM	Game Plan Two SCRUB & RECOAT	Game Plan Three SCREEN & COAT
Advantages	<ul style="list-style-type: none"> Quick and easy process—saves labor. Dustless system. Easy clean-up. Builds deep gloss with no screen marks. 	<ul style="list-style-type: none"> Quick process. Simple procedures. 	<ul style="list-style-type: none"> Superior adhesion. Removes deep scuffs and scratches. Recommended for new floors.
Recommended Application	<p>Choose this system if:</p> <ul style="list-style-type: none"> Limited equipment available. Limited time to train. Recoat budget is limited. Application time is limited. Floor downtime is restricted (can be in use the next day). 	<p>Choose this system if:</p> <ul style="list-style-type: none"> Orbital auto scrubber is available. Staff has limited wood coating experience. Recoat budget is limited. 	<p>Choose this system if:</p> <ul style="list-style-type: none"> Skilled staff is present. Recoating with oil-modified or water-based finishes. Adequate time permits thorough prepping & coating procedures. Adhesion problems are present (peeling areas)
Recommended Power Equipment	<ul style="list-style-type: none"> Low-speed floor machine or auto scrubber. Wet/dry vacuum. 	<ul style="list-style-type: none"> Orbital auto scrubber. Wet/dry vacuum. 	<ul style="list-style-type: none"> 1-2 low-speed floor machines. Wet/dry vacuum.
Recommended Floor Pads and Screens	<ul style="list-style-type: none"> Blue or maroon top scrub pads. 	<ul style="list-style-type: none"> Maroon top scrub pads. 	<ul style="list-style-type: none"> Sanding screens—100 grit or above (depending on floor conditions).
Required Cleaners/Bonding Agents	I.F.T. TyKote®	Game Time Cleaner Squeaky™	I.F.T. Game Time Cleaner
Basic Coatings® Products	StreetShoe® NXT GymShoe	Player's Choice™ One Emulsion PRO™	StreetShoe® NXT GymShoe
		StreetShoe® NXT GymShoe	Player's Choice™ One Emulsion PRO™
		StreetShoe® NXT GymShoe	Player's Choice™ One Emulsion PRO™



Sports Zone® Floor Applicators and Accessories

Product/Item #	Benefits/Features	Dilution/Coverage	Size/Case
HEAVY WEIGHT BAR 18"/24" 91185-00/91174-00 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> Consistent and even coverage. Applies a thicker coat. 	N/A	1 - 18" Bar/cs. 1 - 24" Bar/cs. 
60" WOOD APPLICATION HANDLE 92428-00 	For use on sport and commercial wood floors. <ul style="list-style-type: none"> Consistent and even coverage. Heavy-duty steel handle. 	N/A	1 - 60" Handle/cs. 
APPLICATOR REFILLS 18" / 24" 92426-00 / 92427-00 	For use with medium or heavy weight T-bar. <ul style="list-style-type: none"> Applies finish in a smooth, lint-free coat. Streak- and bubble-free finish application. 	N/A	20 - 18" pad refills/cs. 20 - 24" pad refills/cs. 





AMERICHEM
YOUR PARTNER IN CLEAN
(800) 262-4360 | www.americhem.net



888-GO BETCO | betco.com

©2020 Betco Corporation
All Rights Reserved.
400 Van Camp Road
Bowling Green, Ohio 43402

Item #91145-92



12/2020