

KÄRCHER

AMERICHEM
YOUR PARTNER IN CLEAN
(800) 262-4360 | www.americhem.net

makes a difference



KÄRCHER FLOOR MACHINES.

Engineered for rugged dependability.

FLOOR MACHINES

Can serve for multiple applications for a variety of floor surfaces, an essential tool to keep facilities looking pristine.




GO BEYOND THE POLISH WITH KÄRCHER.

SMOOTH POLISHED FLOORS, NOT JUST FOR SHOWROOMS.

Save effort, money, and wear with Kärcher floor machines. A properly cleaned floor has multiple benefits. Polished floors simply wipe clean and resist soiling and damage easier than their unpolished counterparts. Whether stone or concrete, one floor machine can do it all without the difficult-to-use and toxic solvents and finishes used in traditional floor polishing methods. The cleaned floors are also less susceptible to dirt build up and scuff marks, especially helpful in high traffic areas. With Kärcher, you have a partner in clean.

ADDING A FLOOR MACHINE TO REGULAR MAINTENANCE ROUTINE PROVIDES BENEFITS BEYOND THE POLISH.



MULTI-SURFACE SHINE.

Keep any floor in prime condition with a floor machine.



CARPET



WOOD



STONE



TILE & GROUT



CONCRETE



VCT



EPOXY




OTHER

SUPERIOR MECHANICS.

ORBITAL MECHANICS

Dual action orbital mechanics allow high speed micro orbits and rotation at the same time



ROLLER MECHANICS

Roller brushes allow deep cleaning for difficult surfaces



WHERE WE SHINE.



Automotive



Building Service Contractors



Healthcare



Home & Garden



Hospitality



Industry and Manufacturing



Restaurants and Catering



Retail



Transportation

HYBRID

Versatility is the key advantage to this hybrid machine. Bridging the gap between a floor machine and a walk-behind scrubber making it more versatile than other machines.



BRS 40/1000 C	Brush size (in)	16
	Brush speed (rpm)	600
	Theoretical/practical productivity (sq.ft/hr)	4,305/3,200
	Operating noise level (dBA)	69
	Voltage (V)	120
	Power cord length (ft)	50
	Weight (lbs)	60
	Dimensions (in) L x W x H	20 x 18 x 47

ROBUST VERSATILITY

High quality, durable units that offer power and versatility for scrubbing and stripping. BRS Series Floor Machines, single-or dual-speed, feature an adjustable handle to accommodate various user heights and five inch non-marking wheels to allow easy transportation.




BDS 43/175 C	Pad size (in)	17
	Pad speed (rpm)	175
	Theoretical/practical productivity (sq.ft/hr)	1,923
	Operating noise level (dBA)	63
	Voltage (V)	115
	Wheel diameter (in)	5 x 1.25
	Power cord length (ft)	50
	Weight (lbs)	114
	Dimensions (in) L x W x H	23 x 18 x 47

BDS 51/175 c	Pad size (in)	20
	Pad speed (rpm)	175
	Theoretical/practical productivity (sq.ft/hr)	2,222
	Operating noise level (dBA)	63
	Voltage (V)	115
	Wheel diameter (in)	5 x 1.25
	Power cord length (ft)	50
	Weight (lbs)	118
	Dimensions (in) L x W x H	24.5 x 21 x 47

BDS 51/175-300 C	Pad size (in)	20
	Pad speed (rpm)	175/300
	Theoretical/practical productivity (sq.ft/hr)	2,222
	Operating noise level (dBA)	63
	Voltage (V)	115
	Wheel diameter (in)	5 x 1.25
	Power cord length (ft)	50
	Weight (lbs)	119
	Dimensions (in) L x W x H	24.5 x 21 x 47

SPIN SIMPLY

Do everything and more with this versatile machine! The Radiant™ with ORB Technology can do it all, better, for even less than those tiresome square-type machines. By providing true dual-motion orbital mechanics we eliminate the harsh vibrations of the competition while giving you superior performance.



RADIANT™ WITH ORB TECHNOLOGY

Pad size (in)	17
Pad speed (rpm)	1725/80
Productivity - carpet/stripping/stone (sq.ft/hr)	7,000/6,000/120
Operating noise level (dBA)	56
Motor (hp/V/Hz)	1/110/60
Wheel diameter (in)	10
Power cord length (ft)	75
Weight (lbs)	95
Dimensions (in) L x W x H	29 x 17 x 48

SUPERIOR ADVANTAGE

These are the only all-surface cleaning, scrubbing, sanding, polishing, extraction, interim, and grinding machines in the industry. It tackles carpet, stone, tile & grout, wood, vinyl, concrete, epoxy, and other surfaces. The machine excels at chemical-free stripping, interim carpet encapsulation, tile & grout cleaning and more.



BDS 43/Duo C	Pad size (in)	17
	Pad speed (rpm)	1725/80
	Theoretical/practical productivity (sq.ft/hr)	7,000/6,000/120
	Operating noise level (dBA)	59
	Motor (hp/V/Hz)	1/110/60
	Wheel diameter (in)	10
	Power cord length (ft)	75
	Weight (lbs)	102
	Dimensions (in) L x W x H	29 x 17 x 48

Taz™ With ORB Technology	Pad size (in)	17
	Pad speed (rpm)	1725/80
	Theoretical/practical productivity (sq.ft/hr)	7,000/6,000/120
	Operating noise level (dBA)	59
	Motor (hp/V/Hz)	1/110/60
	Wheel diameter (in)	10
	Power cord length (ft)	75
	Weight (lbs)	102
	Dimensions (in) L x W x H	29 x 17 x 48

Please contact us for more information:

North America

4555 Airport Way
Denver, CO 80239 U.S.A.

Phone +1 800 444-7654
Fax +1 866 271-0520

Canada

275 Pendant Drive
Mississauga, ON L5T 2W9 Canada

Phone +1 905 672-8233
Fax +1 905 672-3155

www.karcher.com/us

