

KÄRCHER

AMERICHEM
YOUR PARTNER IN CLEAN
(800) 262-4360 | www.americhem.net



THERE IS NOTHING SQUARE ABOUT THIS FLOOR MACHINE.

Brighten your floors with the industry's best orbital mechanics system, providing better ergonomics, performance with the least amount of vibration.

PROFESSIONAL | RADIANT WITH ORB TECHNOLOGY

Think outside of the box. Round is the new square.

Why? Simply because it performs better, costs less and is easier to use all day. Do everything and more with this versatile machine! The Radiant with ORB Technology can do it all, better, for even less than those tiresome square-type machines. Our ORB Technology is what makes the difference. By providing true dual-motion orbital mechanics we eliminate the harsh vibrations of the competition while giving you superior performance. Our pad lies flat on the floor resulting in better productivity, more even pad wear and improved results.



1 Better than a boring square

- Provides even pad wear resulting in better, faster performance
- Integrated solution system allows for improved control and less waste
- Low-vibration design allows for hours of fatigue-free usage

2 The green choice

- Chemical-free floor finish removal
- Use less chemicals, water, energy and labor

3 Jack-of-all-trades

- Clean carpet with low-moisture encapsulation
- Make tile & grout shine with the nylon scrub brush
- Polish stone with our complete restoration kit
- Remove finish from wood, VCT and vinyl floors
- Clean indoor and outdoor concrete

4 Usability benefits

- Does not necessitate a safety switch like square-type machines
- Deck can be raised to change pads without tipping machine on its back
- Large 10-inch wheels make transportation easy
- No isolators to wear out or replace
- Easier to maneuver than square machines
- Greater productivity with the Radiant

5 ORB Technology

- Our superior orbital mechanics system
- Every point on the pad oscillates at 1725 rpm while the entire pad spins at 80 rpm
- True dual-motion orbital mechanics
- Provides the highest level of mechanical action on the market
- Square-type machines only vibrate, resulting in less effective agitation

Technical data and equipment.



RADIANT WITH ORB

TECHNICAL SPECIFICATIONS

Pad size	in	17
Pad speed	rpm	1725/80
Solution tank capacity	gal	4.75
Operating noise level	dBA	56
Motor	hp	1
Weight	lbs	95
Wheel diameter	in	10
Dimensions (L x W x H)	in	29 x 17 x 48
Power cord	feet	50
Productivity (practical) (carpet/stripping/stone)	ft²/hr	7,000/6,000/120

EQUIPMENT

Order No.	Description
1.005-297.0	Radiant with ORB Technology, 17-inch pad driver with solution tank, corded

ACCESSORIES

Order No.	Description
■ 8.640-055.0	Aluminum pad driver
□ 8.643-509.0	Replacement 17-inch driver plate pack (1 per pack)
□ 8.637-464.0	Carpet cleaning pad (10 pack)
□ 8.637-466.0	Carpet encap scrub pad (5 pack)
□ 8.637-471.0	Weight kit
□ 8.645-420.0	Scrub brush, for tile & grout
□ 8.637-467.0	Chemical-free stripping pad (10 pack)
□ 8.638-625.0	Melamine pads (5 pack)
□ 8.645-419.0	Scrub brush, for concrete
□ 8.640-045.0	Complete stone restoration kit (steps 1-5)
□ 8.640-047.0	Stone pad, step 1
□ 8.640-048.0	Stone pad, step 2
□ 8.640-049.0	Stone pad, step 3
□ 8.640-050.0	Stone pad, step 4
□ 8.640-051.0	Stone pad, step 5
□ 8.640-054.0	Stone pad maintenance
□ 8.637-903.0	Lippage removal driver (no discs Included)
□ 8.637-904.0	Lippage removal discs (8 pack)
□ 8.640-053.0	Foam pad driver (recommended for step 1)
□ 8.642-802.0	Splash guard, 17" orbital
□ 8.643-510.0	Orbital carpet brush

■ Included □ Optional

Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way
Aurora, CO 80019
U.S.A.

Tel. 888-805-9852
Fax 800-248-8409



www.karcher.com/us/professional



KarcherUSA



@kaercher_us_professional



karchercommercial



karcher-us



KarcherUSA

 **AMERICHEM**
YOUR PARTNER IN CLEAN
(800) 262-4360 | www.americhem.net