AMERICHEM
YOUR PARTNER IN CLEAN
(800) 262-4360 | www.americhem.net

# Commercial Equipment

## –Defining Cleaning Innovation



- Upright Vacuums
- Canister & Specialty Vacuums
- Extractors / Carpet Equipment
- Sweepers
- Floor Machines
- Bur nishers
- Automatic Walk-Behind Scrubbers
- Stand-On Scrubbers
- Rider Scrubbers
- Wet/Dry Tank Vacuums
- All-Purpose Cleaners
- Specialty Products

Advance® by Nilfisk

# Upright Vacuums



## ReliaVac® 12 & 12DC

Single-motor Upright Carpet Vacuums

- 12 inch path is cleaned with a durable steel brush roller
- ReliaVac® 12 top fill bag enhances vacuum power
- ReliaVac® 12 DC model has an easy to empty dirt cup
- Removable clear fan cover allows for identifying and removing clogs
- Lifetime warranty impeller for increased reliability and lower cost of ownership



## ReliaVac® 12HP & 16HP

Single-motor Upright Carpet Vacuums

- 12 or 16 inch cleaning path
- High performance cleaning power with the aluminum brush roller
- Replaceable bristle strips and beater bars for versatile cleaning
- Removable clear fan cover allows for identifying and removing clogs
- Headlight illuminates work area
- Lifetime warranty impeller for increased reliability and lower cost of ownership



## Spectrum™ 12P & 15P

Single-motor Upright Carpet Vacuums

- 12 or 15 inch cleaning path
- Powerful 1,000 Watt, 2-stage motor
- Adjustable brush height
- Certified H.E.P.A. filtration standard
- Tools-free removable brush
- Heavy duty cord restraint
- Convenient front handle for lifting
- Accessories are conveniently tucked behind wand
- Sealed, maintenance-free cog belt



## Spectrum™ 12H

Single-motor Upright Carpet Vacuum

- Designed for the hospitality market
- 33 foot detachable gray cord
- Non-marking tear-resistant bumper
- 12 inch cleaning path
- Powerful 1,000 Watt, 2-stage motor
- Adjustable brush height
- Certified H.E.P.A. filtration standard
- Tools-free removable brush
- Two heavy duty cord restraints
- Convenient front handle for lifting
- Accessories are conveniently tucked behind wand
- Sealed, maintenance-free cog belt



## VU500™ Series

Single-motor Upright Carpet Vacuums

- 12 or 15 inch cleaning path
- Powerful 1,000 Watt, 2-stage motor
- Automatic self adjusting brush height
- Advance radius turning system permits quick, short turns in tight places
- Certified H.E.P.A. filtration standard
- Innovative quick cord clip for simple cord management
- Detachable power cable for quick service
- Accessories are conveniently tucked behind wand
- Sealed, maintenance-free cog belt
- CRI Certified SILVER



## Spectrum™ 15D & 18D

Dual-motor Upright Carpet Vacuums

- 15 or 18 inch cleaning path
- Separate vacuum and brush motors for powerful performance
- 1,350 Watts of power with combination of independent brush and vacuum motors
- Adjustable brush height with low brush height indicator light
- Certified H.E.P.A. filtration standard
- Tools-free removable brush
- Heavy duty cord restraint
- Convenient front handle for lifting
- Accessories are conveniently tucked behind wand
- Sealed, maintenance-free cog belt



## CarpeTriever™ 28

Large Area Upright Carpet Vacuum

- 28 inch cleaning path allows for increased productivity
- Dual vacuum motors provide generous pickup power
- Large 1 bushel capacity cloth bag is standard
- Carpet brush propels the machine, minimizing operator fatigue



## VP300™

Canister Vacuum

· 900 Watt motor
· 69 dB A sound level
· Filter basket standard for bagless operation
· Three levels of filtration standard
· 33 foot cord, rotating dust brush and crevice tool stored onboard
· Telescopic aluminum wand optional
· Cloth pre-motor filter allows use without bags as an option



## Adgility™ 6XP & 10XP

Backpack Vacuums

· Comfortable, lightweight design
· Powerful 1,300 Watt motor
· Premium comfort shoulder strap system
· Quiet 62 dB A sound level
· Cord restraint clips onto the safety cord and holds it in place
· Exhaust port directs warm air up and away from the operator
· SaniSeal™ self-sealing adhesive rim on bag seals to contain all dust and dirt
· Four levels of filtration, H.E.P.A. filter optional



## Euroclean GD930

Canister Vacuum

· 1,000 Watt, 1.25 hp motor
· 66 dB A sound level
· Three levels of filtration standard
· Optional H.E.P.A. filtration
· 4 gallon (15 L) dust collection bag
· Injection molded cover
· Durable chrome plated steel tank
· Dual mode floor tool
· Foot operated on/off switch
· Waterlift 89 inches
· Air flow 67 CFM
· Standard tools include a combination brush/nozzle, 6 foot suction hose, dual mode floor tool, two piece wand and crevice tool



## VP600™

Canister Vacuum

· Extra efficient 800 Watt motor
· Foot activated on/off switch
· Sound pressure Normal 47 dB A / Power Boost 54 dB A
· Three stage filtration with H13 H.E.P.A. exhaust filter standard
· 2.6 gal (10 L) container
· Passive floor tool for both hard and soft floors
· Easy-access magnetic closing lid
· 33 foot cord, dust brush and crevice tool stored onboard





Advance® by Nilfisk

# Extractors





## ES300™ ST/XP & ES400™ XLP

Self-Contained Extractors

- CRI Gold SOA Approved (all models)
- 1.5 hp, 3-stage vacuum motor, 120 inch waterlift
- LIFT™ Technology for low-moisture cleaning
- Deep Treat™ cleaning for pre-spray and post cleaning treatment
- Adjustable handle for maneuverability in tight spaces
- Brush and vacuum shoe removal without tools
- Laminar flow vacuum shoe for constant acceleration and superior water recovery
- Front mounted drain hose
- Removable tank with stowable handle
- 50 foot detachable (15 m) safety yellow power cord
- Integrated hand tool
- Optional hard floor tool to convert to a hard floor scrubber

## AquaPLUS™ AXP™

Carpet Extractors

- AXP™ Onboard Detergent Dispensing System
- LIFT™ Technology for low-moisture cleaning
- One-Touch™ operation
- Deep Treat™ cleaning for pre-spray and post cleaning treatment
- Single spray jet eliminates streaking
- Dual laminar flow vac shoes recover recover used solution and soils efficiently





EX610™ 100H

## ET610™

Portable Extractors

- 12.5 gallon solution tank
- 11 gallon recovery tank
- Single 5.7 inch, 3-stage vacuum motor
- 140 inch waterlift (100SC and 100H)
- 1,100 Watt heater (100SC) 1,750 Watt (100H)
- Cold water extractor (100C)
- Ergonomic design
- 12 inch stainless steel wand standard (AquaWand™ optional upgrade)
- Wand caddy for easy transport
- Unique transport handle design
- Easy-fill solution tank
- Low moisture / environmental footprint reduction system

## ES4000™

Rider Sweeper Extractors

- Total Carpet Care System
- 28 inch cleaning path
- 28 gallon solution and recovery tanks
- 4 cleaning modes – Dry-Sweep, Interim, Pre-Treat, Restorative
- Onboard chemical dilution system standard
- Brushes and vacuum shoes are removable without tools
- Superior 63 inch (160 cm) turning radius
- 65 dB A sound level



## AM2400D™

Air Mover

· Three speed settings
· 2,000 / 2,200 / 2,400 CFM
· Four angle settings
· Onboard outlet for daisy-chaining up to 3 units
· Lightweight, compact and stackable
· Optional trolley kit with wheels and retractable handle for easy transport
· Thermally protected motor
· 21 foot power cord (6.5 m)



## Terra® 4300B

Rider Sweeper

· 46 inch sweep path, battery operated
· Simple, ergonomic and intuitive operator interface
· 20% gradeability while sweeping
· Rugged construction for carpet or hard floor applications
· Safe, Clear-View™ design
· Foot operated litter flap system for capturing larger debris
· Overthrow sweeping system with sturdy roll out metal hopper



## Terra® 28B

Walk-Behind Sweeper

· 28 inch sweep path
· Maintenance free gel battery standard
· Quieter than most vacuums at 59 dB A
· Standard onboard battery charger
· Tools-free removable brooms and hopper
· Rugged construction for carpet or hard floor applications



## SW900™

Walk-Behind Sweeper

· 33 inch sweep path
· Independent side broom control on handle
· Direct throw sweeper design
· Superior dust control
· Battery operated with up to 3 hours of run-time on a single charge
· Standard onboard battery charger
· Tools-free removable brooms and hopper
· Rugged construction for carpet or hard floor applications



Advance® by Nilfisk

# Floor Machines & Burnishers



## Pacesetter™ 17HD/20HD/20SD

Floor Machines

· Available in both 17 inch and 20 inch cleaning path sizes
· 17HD and 20HD have 1.5 hp, 66 frame motors at 175 rpm
· 20SD is 20 inches with 1.75 hp, 66 frame motor at 175 rpm
· Ergonomic molded handles for safety and comfort
· Pad driver included
· Sturdy, foot activated handle angle lock for safe, confident operation



## Pacesetter™ 20TS

Two-Speed Floor Machine

· Versatile 20 inch two-speed floor machine
· 1.5 hp DC motor
· 66 frame motor runs at 180 and 320 rpm
· Ergonomic molded handles for safety and comfort
· Pad driver included
· Sturdy, foot activated handle angle lock for safe, confident operation



## FM810™ ST & XP

Orbital Floor Machines

· 1.5 hp heavy duty motor driving a 3,540 rpm orbital deck
· 20 x 14 inch cleaning path
· Chemical-free floor stripping
· 160 lb of down pressure
· Includes weight kit consisting of three removable 21 lb weights
· Quiet, low vibration design at 68 dB A
· Switchable wheels-up/wheels-down modes (XP model)
· Baseboard cleaner standard (XP model)
· Detachable handle standard (XP model)
· 50 foot, 14/3 safety yellow power cord
· Dust containment kit, solution tank kit, various scrub pads and sand screens available





## Advolution™ 20

Cord-Electric Burnisher

· 20 inch burnishing path, 1,500 r.p.m. · Flex Floor Technology for consistent even shine even on unlevel floors
· Patented gas spring provides optimal head pressure for maximum gloss performance
· EZ Store™ folding handle
· Rotating cord hook
· 75 foot safety yellow cord with hospital grade plug



## Advolution™ 20XP

Cord-Electric Burnisher

· 20 inch burnishing path, 2,000 r.p.m. with dust control
· Flex Floor Technology for consistent even shine even on unlevel floors
· Patented gas spring provides optimal head pressure for maximum gloss performance
· EZ Store™ folding handle
· Rotating cord hook
· 75 foot safety yellow cord with hospital grade plug
· Dust collection with dual port dust bags



## BU800™ 20B & 20BT

Battery-Powered Burnishers

- The 20BT model includes traction assist for reduced operator fatigue
- Flex Floor Technology for consistent, even shine even on unlevel floors
- Best passive dust control in the market, which helps improve indoor air quality
- Safety switch in pad change position
- Onboard battery charger standard



## Advolution™ 2710

Battery-Powered Burnishers

- Superior, consistent gloss with automatic pad-pressure control
- One-Touch™ burnishing with three pad pressure settings
- Easy to control and maneuver with front-steering system
- Perfect for daytime burnishing operating at just 69 dBA
- Clean, quiet, battery-powered operation
- Reduced need for dust-mopping with passive dust control
- High productivity rider platform





Advance® by Nilfisk

# Walk-Behind & Stand-On Automatic Scrubbers



## SC100™

Upright Scrubber

- 12.2 inch scrub path
- Cylindrical scrub brush operates at 2,100 rpm
- Forward and reverse solution recovery
- Solution tank dispenses only clean solution
- 0.8 gallon solution tank
- 1 gallon recovery tank
- Simple and intuitive controls
- Ergonomic handle for easy operations
- 4 inch cleaning clearance
- Optional carpet kit



## SC401™

Automatic Scrubber

- 17 inch scrubbing width
- 7.9 gallon solution and recovery tanks
- Touch activation sensors for operator safety
- SilentTech™ technology reduces sound level to 60 ±3 dBA in Quiet Mode
- OneTouch™ scrubbing to begin machine operation
- Fully accessible recovery tank with debris catch cage
- Four wheel system stabilizes machine
- Energy saving brush motor control system to extend run time
- Available in traction drive or pad assist
- Optional detergent mixing system



## SC250™

Battery Micro Scrubber

- 13.5 inch scrub path
- 1.6 gallon solution tank and recovery tank
- Front squeegee can be raised to pick up small debris while scrubbing
- Adjustable brush pressure knob to optimize required cleaning intensity
- Recovery tank and battery covers are magnetically secured, allowing easy removal and replacement
- Easy to maintain with tools-free brush and squeegee removal
- Available with 1 hour fast charger



## SC450™

Automatic Scrubbers

- 20 inch disc scrub path
- 10.5 gallon solution tank
- 11.9 gallon recovery tank
- Onboard Battery Charger
- Tools-free removal of squeegee and squeegee blades
- Wrap-around ergonomic handle system provides operator comfort
- Variable pad driven assistance
- Center-pivot designed squeegees provide 100% water pickup on turns
- Safety on/off switch is located on the handle for operator convenience



## SC351™

Battery Operated Micro Scrubber

- 14.5 inch scrubbing width
- Patented rotating deck with integrated squeegee allows for forward and backward scrubbing
- Simple and intuitive controls
- Four operating modes
- Compact design and foldable handle for easy storage
- Best in class 64 dB A sound level
- "Lift-out" solution and recovery tanks
- 2.5 gallon solution tank
- 3 gallon recovery tank
- Available with Lithium-ion batteries




## SC1500™ REV™ & Disc

Stand-On Scrubbers

- 20 inch scrub path
- Dual Random Orbital Scrubbing technology or traditional disc
- Extremely maneuverable and compact
- EcoFlex™ System standard
- Two scrub pressures up to 75 lb for disc, 88 lb for REV™
- Quiet mode for daytime cleaning
- 12 gallon solution and 12.5 gallon recovery tank
- Debris catch cage standard
- Onboard charger standard



## SC370

Automatic Scrubber

- 17 inch scrubbing width
- 6.6 gallon solution and recovery tanks
- Highly maneuverable integrated squeegee design
- Silent mode reduces sound to 63 ± 3 dBA for noise sensitive areas
- Minimal operator training with One-button start
- Fast and simple tool-free squeegee removal
- Extend runtime with ECO Mode
- Increased opperator comfort and control with adjustable handle




## SC500™ Disc & REV™

Automatic Scrubbers

- 20 inch dual random orbital scrubbing technology or traditional disc pad or brush
- Multifunction display with One-Touch control panel
- SmartFlow™ Technology standard
- Optional EcoFlex™ System
- Two scrub pressures up to 66 lb (33 kg)
- One pass, uniform floor finish removal
- 12 gallon solution and recovery tanks
- Super quiet for daytime operation
- Traction drive
- Onboard charger
- Available with Lithium-ion batteries



## Adfinity™ X20C & X24D

Automatic Scrubbers

· 20 inch cylindrical or 24 inch disc scrub paths, with traction drive
· 14.5 gallon solution and recovery tanks
· Smart Solutions™ flow rate
· EcoFlex™ System
· Onboard battery charger
· Variable pad pressure
· Interchangeable scrub decks
· Tools-free removal of squeegee and squeegee blades



## SC750™ & SC800™

Automatic Scrubbers

· Available in 26, 28 or 34 inch disc and 28 inch cylindrical scrub paths
· Smart Solutions or EcoFlex™ System on all machines
· Green cleaning and high productivity technology
· SC750 with 21 gallon solution and recovery tanks
· SC800 with 25 gallon solution and recovery tanks
· Self adjusting skirt on disc machines
· Heavy duty scrubbing performance



## SC750™ REV™

Dual Random Orbital Floor Scrubber

· 28 inch disc scrub path
· Dual random orbital scrubbing technology
· EcoFlex™ System
· Ultra low flow rate for high productivity
· 3.5 hours of scrubbing on a single tank max
· One-Touch™ scrubbing
· 170 pounds of down pressure max
· Onboard charger
· 21 gallon (80 L) tanks



## SC901

Walk-Behind Scrubbers

· Available in 28 and 34 inch disc or 32 inch cylindrical scrub paths
· 30 gallon solution tank
· 32 gallon recovery tank
· Optional EcoFlex™ System
· Simple and easy to use paddle interface
· Minimal electronics for increased reliability and lower total cost of ownership
· Control board-free design eliminates costly repairs
· Mechanical scrub and vacuum levers
· Regulated cruise control increases productivity and safety
· Simplified user interface



Advance® by Nilfisk

# Rider Scrubbers

## SC2000™

Micro Rider Scrubber



- 20 inch scrub path
- SmartFlow technology
- Standard EcoFlex™ System
- Multifunction display with One-Touch control panel
- Two scrub pressures up to 66 lb
- 18.5 gallon solution and recovery tanks
- 68 and 62 dB A sound levels
- Integrated squeegee hanger
- Debris catch cage
- Onboard charger standard
- Available with Lithium-ion batteries

## SC3000™

Compact Rider Scrubber



- 26 inch scrub path
- SafetyGlide™ deck automatically moves in the direction of turn
- Standard EcoFlex™ System reduces environmental impact and detergent costs
- 21 gallon solution and recovery tanks
- 65 and 61 dB A sound levels
- Integrated squeegee hanger
- Debris catch cage
- Onboard charger standard

## SC5000

Rider Scrubbers



- Available in 32 and 36 inch cylindrical, and 34 inch disc scrub paths
- Optional EcoFlex™ System reduces environmental impact and detergent costs
- Safe, Clear-View™ design
- Excellent maneuverability and compact size to get to where the dirt is
- Best in class steering wheel based system controls
- SmartFlow™ reduce detergent costs and extend time between dump-and-refill while using up to 50% less water
- Sealed brush drive system and idlers for cylindrical decks for significantly increased reliability
- SmartKey™ technology and integral impact detection
- Off-set deck allows edge cleaning without added complexity or cost

## SC4000

Rider Scrubbers



- Available in 28 & 34 inch disc and 28 & 32 inch cylindrical scrub paths
- 33 gallon solution and recovery tanks
- Optional EcoFlex™ System reduces environmental impact and detergent costs
- Safe, ClearView™ design
- Best in class steering wheel based system control featuring OneTouch™ and fingertip controls allowing the user to keep their eyes on the job
- SmartFlow™ reduce detergent costs and extend time between dump-and-refill while using up to 50% less water
- SmartKey™ technology and integral Impact detection
- Available in both High Performance and standard versions

## SC4000 REV™

Rider Scrubbers



- 28 inch REV™ scrubbing technology utilizes both random orbital and rotational scrubbing to provide for a superior daily scrubbing performance
- 33 gallon solution and recovery tanks
- Optional EcoFlex™ System reduces environmental impact and detergent costs
- Low solution flow rate extends per tank productivity
- One pass, chemical-free floor finish removal for top scrubbing
- Best in class steering wheel based system control featuring OneTouch™ and fingertip controls allowing the user to keep their eyes on the job
- SmartFlow™ reduce detergent costs and extend time between dump-and-refill while using up to 50% less water
- SmartKey™ technology and integral Impact detection
- Available in both High Performance and standard versions





## All Cleaner™ XP

All-Purpose Cleaner

· Compact and maneuverable · 20 gallon solution tank · 12 gallon recovery tank · 2 chemical metering system with universal chemical storage
· 500 psi application flow
· Optional front mount squeegee for easy water pick-up
· Simple storage for recovery and solution hose
· Removable pallete contains all electrical components
· Only available in U.S.







## Adphibian™

Multi-Surface Extractor-Scrubber

· Full function extractor and scrubber with AXPT™ Onboard Detergent Dispensing System
· Single deck, less than 30 seconds to change from extracting to scrubbing
· CRI SOA Approved Deep Cleaning Extractor in both **LIFT™** low-moisture and restoration cleaning modes
· **LIFT™** Technology for low-moisture cleaning
· Dual, anti-microbial counter rotating brushes with debris collection hopper
· Brushes, squeegee and vacuum shoes are removable without tools

## VL500™

Wet/Dry Tank Vacuums

· Available in 9, 14 and 19 gallon tank sizes
· Unique filter system protects the motor from water, while ensuring complete wet and dry filtration
· Front mount squeegee standard on VL500-75 optional on VL500-55
· Patent pending ERGO "tip n pour" design is available on VL500-75 and standard "tip n pour" is available on the VL500-55
· Powerful 1,100 Watt motor, 101 CFM
· 50 foot power cord
· Features a variety of standard and optional accessories, including: hose, wand, squeegee floor tool, brush floor tool, crevice tool, dusting tool and front-mounted squeegee



## Dust Magnet™

Dry Dust Mopping Systems

· Dry dusting system uses disposable dusting sheets
· Super lightweight aluminum system
· Simple static electricity attracts dust and holds it
· 23, 46 and 59 inch wide cleaning path options
· Sheets come in convenient pre-cut boxes of 200, or a continuous roll of 100 sheets



Advance® by Nilfisk

## Quality

A quality approach to cleaning is the commitment we make to every one of our customers. Along with each machine comes pride, craftsmanship, innovative technology, professional expertise and an international network of parts, maintenance and service support professionals.

## Reducing the Cost to Clean

Every aspect of our business revolves around creating cleaning solutions that generate superior cleaning results, increase productivity and reduce the cost of ownership. The result is superior cleaning products that drive down the cost of cleaning. The pride we take in production and service will become your pride of ownership when you buy Advance equipment.

## Sustainability

Nilfisk, Inc.'s fundamental attitude to the working environment and pollution is in accordance with the first principle of the United Nations conference declaration on Environment and Development (Rio, 1992): "People are entitled to a healthy and productive life in harmony with nature."

## Parts

Keeping your equipment working effectively is essential for superior cleaning. Advance provides manufacturing parts and components through our network of professional industrial cleaning dealers to help keep your Advance products working at peak performance. Our parts are designed and built for our machines so they can be counted on to maintain your machines. They are value priced and quality built. By choosing Nilfisk Parts, you can be certain you're getting the quality part you need for your machine.

Advance products are manufactured by Nilfisk, Inc., one of the world's largest designers and manufacturers of high quality commercial and industrial floor maintenance equipment.

8941 7/2023

**Nilfisk, Inc.**
9435 Winnetka Avenue North
Brooklyn Park, MN 55445
www.nilfisk.us
Phone 800-989-2235
Fax 800-989-6566

**Nilfisk Canada Co.**
240 Superior Boulevard
Mississauga, ON Canada L5T 2L2
www.nilfisk.ca
Phone 800-668-8400
Fax 800-263-5111

AMERICHEM
YOUR PARTNER IN CLEAN
(800) 262-4360 | www.americhem.net

©2021, Nilfisk, Inc., Printed in U.S.A., Form L1587A_0723

recyclable