



Clarke Focus® II MicroRider™ Rider Autoscrubber®

- **BOOST® Technology** with chemical-free floor finish removal makes the rider a dual-function scrubber
- **SafetyGlide™ Scrub Deck** ensures quality cleaning results with 100% water pick-up
- **Easy Operation with Safe-T-Steering™** increases operator safety
- **Quiet Operation** makes daytime cleaning and cleaning of noise-sensitive areas viable
- **Optional Chemical Mixing System** automatically delivers the correct mixing solution to the brush deck
- **Comfortable Driver Compartment** with customizable features can be optimized for virtually every operator

The Clarke Focus® II MicroRider™ is everything you need in a compact rider, available in a unique 26 inch disc deck or 28 inch BOOST® scrub deck for all of your scrubbing needs!

 **AMERICHEM**
YOUR PARTNER IN CLEAN
(800) 262-4360 | www.americhem.net

Trusted. Reliable. Efficient.

Clarke®

Compact design and superior scrub system with chemical-free floor finish removal capabilities maximize cleaning performance.



Compact Size

The Clarke Focus[®] II MicroRider™ is a small, easily maneuverable machine that is designed to clean the areas that are inaccessible with larger riders—including those with limited access or tight corners. Yet, with a 26 or 28 inch deck, the Focus II MicroRider offers a wide cleaning path for maximum productivity in your larger cleaning areas.

Innovative Deck

The low-profile SafetyGlide™ deck eliminates wasted time and money spent on side skirts, and irritating watermarks. Simply turn the steering wheel; as the machine turns, the deck automatically moves in line with the path of the rear squeegee, resulting in 100% water pick-up. With a spring-loaded safety design, you no longer have to worry about accuracy or accidental contact for edge cleaning. The deck ensures precise, straight edge cleaning without additional labor-intensive detail edge mopping.

Chemical-free Floor Finish Removal

Enhanced with BOOST Technology, the Focus II MicroRider is available with a

®

28 inch BOOST deck, delivering high levels of cleaning with the ultimate in green benefits. Say goodbye to costly chemicals, slippery floors and undesirable odors. BOOST allows for easy floor finish removal without the use of chemicals. Plus, this efficient technology uses up to 70% less solution, extends equipment pad life by 40%, provides longer battery runtimes and cuts labor time in half.

Cleaner, more efficient scrubbing with user-friendly operation!



Recovery Tank

A large opening to the recovery tank allows for easy cleaning and access to the debris catch cage.



Control System

Universal One-Touch™ controls and digital solution level indicator ensure easy operation.



SafetyGlide™ Deck

Unique deck automatically moves in line with the path of the rear squeegee when the steering wheel turns, eliminating the need for side skirts.

Focus® II MicroRider™

- 1** *Safe-T-Steering™ reduces machine speed on turns, providing effective operator safety*
- 2** *Optional Chemical Mixing System ensures that detergent and water are automatically mixed in the exact proportions needed to ensure optimal cleaning results*
- 3** *Angled floor provides comfortable use*
- 4** *Durable, comfortable driving seat and position allow excellent field of vision*
- 5** *26 inch disc with durable brushes provide superior, long-lasting scrubbing performance*
- 6** *SafetyGlide™ Deck As the steering wheel turns, the unique scrub deck automatically moves in the same direction*
- 7** *High traction, non-marking urethane tires*
- 8** *Unique squeegee design with standard, heavy-duty polyurethane blades ensures excellent water pick-up and drier floors*



Battery Compartment

Easily-accessible battery compartment is located directly under the operator's seat, allowing for quick battery maintenance and installation.



Chemical Mixing System

Optional, onboard chemical mixing system automatically mixes concentrated chemicals stored in an onboard container with clean water stored in the solution tank.



Angled Floorboard

Angled floorboard with low step height allows for easy access and maximizes rider comfort.

Specifications	Focus® II Disc MicroRider™	Focus® II BOOST® MicroRider™
Model Numbers Scrub Head Type	Multiple model numbers. See price catalog.	
Scrub Path Capacity Maximum	Dual Disc	BOOST®
Speed Maximum Productivity @	26 in (660 mm)	28 in (717 mm)
3.7 mph Brush Pressure Brush	21 gal (80 L)	
Speed Brush Motor Vacuum	3.7 mph (6 km/hr)	
Motor Vacuum Airflow Vacuum	42,328 ft ² /hr (3,932 m ² /hr)	45,484 ft ² /hr (4,226 m ² /hr)
Waterlift Sound Pressure Level EN	Setting 1 = 65 lb (30 kg) Setting 2 = 105 lb (48 kg)	
ISO 11201: 1995 Water Flow	230 RPM	2,250 RPM
Minimum Turn-Around Aisle	0.54 hp (400 W)	0.75 hp (560 W)
Width Maximum Ramp Climbing	0.56 hp (420 W)	
Squeegee Width Machine Voltage	55.3 CFM (26.1 L/Sec)	
Power Source Battery Charger	57 in (14.2 KPA)	
Maximum Run Time	High Setting = 65 dB A Low Setting=61 dB A	
Dimensions (W/O Squeegee)	0 - 0.8 gpm (0 - 3.0 L/min)	
Weight W/O Batteries, Empty	59 in (150 cm)	
Tanks	16 degrees	
Maximum Weight with Batteries, Full Tanks and Operator (GVW)	35 in (89 cm)	
PSI Front Tire with Operator and Full Tank	24 VDC	
PSI Rear Tires with Operator and Full Tank	(4) 6 Volt batteries (wet acid and AGM maintenance-free)	
Full Tank Approvals	24 VDC onboard	
IP Protection Class	3.5 hours	
	L = 53.5 (136 cm) W = 26.4 in (67 cm) H = 48.4 (123 cm)	L = 53.5 (136 cm) W = 28.7 in (73 cm) H = 48.4 (123 cm)
	385.8 lb (175 kg)	401 lb (182 kg)
	983.2 lb (446 kg)	1,005 lb (456 kg)
	72.5 psi (0.5 N/mm ²)	
	130.5 psi (0.9 N/mm ²)	
	ETL, CSA	
	IPX3	



Watch the
BOOST® Video

Specifications are subject to change without notice.



Applications

- Hospitals and Healthcare Facilities
- Schools and Universities
- Hotels and Hospitality Facilities
- Government Buildings and Installations
- Automotive Dealerships
- Entertainment and Sport Arenas
- Supermarkets

“Green” Benefits

- Deep scrub and floor finish removal without chemicals
- Reduced chemical consumption
- Low water usage
- Reduction in pad usage by 40%
- Earn LEEDS certification credits when using BOOST® Technology

Safety Features

- Safe-T-Steering™ feature
- Thermal overload protection
- Superior line of sight
- Security key switch
- Quiet mode
- SafetyGlide™ Deck

Accessories

- Safety warning beacon
- CBMS
- Battery watering kit

Clarke®

9435 Winnetka Avenue North
Brooklyn Park, MN 55445
Phone: 800.253.0367 Fax:
800.825.2753
www.clarkeus.com

240 Superior Boulevard
Mississauga, Ontario, Canada L5T 2L2
Phone: 800.668.8400
Fax: 800.263.5111
www.nilfisk-advance.ca