

SC4000

# Maneuverable mid-size ride-on scrubber dryer



 **AMERICHEM**  
YOUR PARTNER IN CLEAN  
(800) 262-4360 | [www.americhem.net](http://www.americhem.net)

**NILFISK**

# Clean confined areas with ease

Agile, flexible, and easy to use

Perfect for cleaning both small and large areas as well as aisles.

With a more compact design, the SC4000 is capable of easy maneuverability in narrow spaces and is able to pass through standard-sized doorways. Designed to clean a wide variety of floor surfaces with its highly versatile two deck options and was developed with schools, hospitals, and retail stores in mind.




# Mindful Cleaning Efficiency

Innovative technologies and functionalities that ensure high performance

**Easy Operation** All command functions are integrated into the steering wheel - quick access allows for seamless, on-the-go adjustments. Operator's hands are always in contact with the wheel.

**Flexible and Quiet** Clean inconspicuously any time due to best-in-class turning radius (166 cm), a compact profile, and low-decibel quiet operation.



## ECOFLEX™

Ensure high-quality cleaning every time, regardless of dirt level. At the touch of a button, EcoFlex™ enables optimum cleaning results regardless of soil levels and saves detergent and water.

## SMARTFLOW™

Reduce costs, minimize dump and refill cycles and maximize productivity with SmartFlow™, using up to 50% less water and detergent than similar machines.

# Clean all areas with ease

Navigate doorways, up and down aisles or in open spaces without missing a beat



Available in both standard and high-performance models, disc and cylindrical to optimize versatility and maximize productivity.

## Technical specifications

Description	Unit	SC4000 710D / SC4000 710D HP	SC4000 710C / SC4000 710C HP	SC4000 810C / SC4000 810C HP	SC4000 860D / SC4000 860D HP
Reference number		56120004 / 56120402	56120003 / 56120401	56120006 / 56120403	56120007 / 56120404
Scrub deck type		Disc	Cylindrical	Cylindrical	Disc
Scrub path	mm	710	710	810	860
Productivity rate theoretical (standard/HP)	m <sup>2</sup> /h	4970/5713	4970/5713	5670/6518	6020/6920
Dimension (lwxhxh)	mm	159x79.2x146	159x79.2x146	159x92.8x146	159x92x146
Brush motor power (standard/HP)	W	710/850	710/850	710/850	710/850
Solution / recovery tank capacity	L	125/125	125/125	125/125	125/125
Gradability scrubbing	%	9	9	9	9
Sound pressure level	dB(A) +/-3	65.8	66.0	65.6	67.8
Voltage	V	36	36	36	36
Brush pressure	kg	52/75/100	42/59/76	42/59/76	52/75/100
Transport speed (fwd. maximum) (standard/HP)	kph	7.0/8.0	7.0/8.0	7.0/8.0	7.0/8.0